

Buildings 2 and 3 Now Available

Large Build-to-Suit Pad Ready Site Available Now

staffordlogisticscenter.com







THE NEW EPICENTER OF INDUSTRIAL COMMERCE

Stafford Logistics Center is one of the most prolific business parks to be brought to the greater Denver industrial market in the last decade. Located at the confluence of I-70, E-470, E. Colfax Avenue and Picadilly Road, this industrial park will deliver approximately 4.4 million square feet on ±368 acres. The property offers superior transportation access compared to any other major business park in the area.

This property is slated to benefit from a new interchange at I-70 and Picadilly which is estimated to be open to traffic Q3 2025 and will provide unmatched access to I-70 and E-470. New construction of both residential and commercial developments adjacent to the site will bring further identity, labor and amenities to the area.

UNMATCHED ACCESSIBILITY



KEY ADVANTAGES



Lowest Mill Levy for New Construction Northeast



Design Flexibility with Build-to-Suit Options



Strong Workforce Demographics



Highest base-building improvement delivered to tenant



Complimentary labor analytics, freight cost assessment and space planning



Rapidly Growing Neighborhood



A Better Building with an Unmatched Base Design



Immediate Access to I-70/E-470 and 6th Avenue



Advantageous Tax Incentives and Zoning (M-1, B-3)



BUILDING 2 HIGHLIGHTS

Total SF: ±255,330 SF

Available SF: ±42,717 SF

Divisible: ±40.000 SF

Quoted Lease Rate: Negotiable

Estimated

\$3.79/SF

Expenses:

Base TI Package: Negotiable

119.21 (includes Mill Levy:

metro district)

Parking Spaces: 56

Trailer Spaces: 24

4 docks Dock-High Loading: (expandable 8)

Clear Height: 36'

Building

276' x 936' **Dimensions:**

Sprinklers: ESFR

54' x 52' x 60', **Column Spacing:**

speed bay

130' (185' with **Truck Court:**

trailer parking)

Air Handling Units: 50° F at 0° F

LED with motion

sensors, 30' Lighting: foot-candle

average

Power: Xcel certified site

Internet Provider: Xfinity



BUILDING 3 HIGHLIGHTS

Total Available SF: ±439,700 SF

Divisible: ±100,000 SF

Quoted Lease Rate: Negotiable

Estimated

\$3.79/SF **Expenses:**

Base TI Package: Negotiable

119.21 (includes Mill Levy:

metro district)

Parking Spaces: 307

Trailer Spaces: 100

Dock-High Loading: 44 with 44 future

Drive-In Loading: 4

Clear Height: 36'

Building 520' x 832'

Dimensions:

Sprinklers: ESFR

52' x 50' x 60', **Column Spacing:**

speed bay

130' (185' with **Truck Court:**

trailer parking)

Air Handling Units: 50° F at 0° F

LED with motion

sensors, 30' Lighting:

foot-candle

average


Power: Xcel certified site

Internet Provider: Xfinity





- Total Size: Build-to-suits between 100,000-658,000 SF
- Building pad area has been graded
- Fully customizable
- Zoning: M-1 (outside storage allowed)
- Can deliver BTS building within
 12 months of a signed lease



BUILDING 6 HIGHLIGHTS

Total Available SF: ±1,018,456 SF

Quoted Lease Rate: Negotiable

Estimated Expenses:

\$3.46/SF

Base TI Package: Negotiable

119.21 (includes Mill Levy:

metro district)

Parking Spaces: 630

Trailer Spaces: 386

Dock-High Loading: 91 with 86 future

Drive-In Loading: 4

Clear Height: 40'

Building Dimensions:

1.560' x 650'

Sprinklers: ESFR

60' x 53' x 60', **Column Spacing:**

speed bay

155' (210' with **Truck Court:**

trailer parking)

Air Handling Units: 50° F at 0° F

LED with motion

sensors, 30' Lighting:

foot-candle

average

Power: Xcel certified site


Internet Provider: Xfinity





A BETTER BUILDING **UNMATCHED BASE DESIGN**

±\$4 PSF OF ABOVE-STANDARD BUILDING FINISHES



1 NORTHPOINT PACKAGE

- 9'x 10' manual vertical lift sectional overhead doors with insulated core, R-9, equipped with perimeter weather stripping, step plates, door lights, 50,000 cycle spring, locks
- · 45,000 lb mechanical pit levelers with 7'x 8' platform, 16" lip, operating range toe guards, nightlocks, brush weather seals, and two (2) 10"x 4" projection steel faced laminated rubber bumpers
- · Dock Seals with 10" projection. 10' tall side pads, 10'- 4" wide head cap with adjustable drop curtain and 22 oz. vinyl case covers with wear pleats
- · Wheel chocks with 20' chains

(2) CLERESTORY WINDOWS

- 4'x 6' or larger (varies by building) · Sealed 1" insulating glass units.
- with low "e" coating · Transmittance: visible light: 37%,
- solar energy: 28% · Reflectance: visible light (exterior): 8%, (interior): 14%
- · ASHRE U-Value: winter nighttime: .35, summer daytime: .35
- · Shading Coefficient: .47
- Solar Factor (SHGC): .40

- · All roof system components are FM approved materials
- · Roof deck consisting of 22-gauge 11/2" deep ribbed metal, factory primed white on the
- · Roof system consisting of mechanically fastened 45-mil. white, single-ply TPO membrane
- · Minimum R-20 polyisocyanurate rigid insulation installed in two layers with joints staggered
- Fifteen (15) year "No Dollar Limit" (NDL) manufacturer's warranty
- 30"x 36" roof hatch with insulated curb and lid and 48" safety rail extension
- 36" wide roof walkway pads at HVAC roof equipment and around perimeter of roof hatch.
- · 24 ga Kynar-coated coping at the top of all parapet walls

(4) LIGHTS

- · LED high bay fixtures with 15' modular whips and individual motion detectors
- 30 foot-candles average (minimum 20) measured at 36" above finished floor assuming an open warehouse configuration
- · Minimum 15% emergency ballast backup

5 FIRE SUPPRESSION SYSTEM

- ESFR fire sprinkler system. designed per FM and NFPA standards with K-16.8, 22.4 & 25.2 heads
- 2,000 GPM (minimum) fire pump (diesel or electric backup)
- · Design based on solid pile storage and storage in racking up to a maximum of 35' high of Class I-IV commodities with a maximum allowable deck height of 45

6 FLOOR CONSTRUCTION

- 7" 4.000 psi concrete over minimum 4" of aggregate base
- · Power troweled, hard, smooth finish with minimum average FF55/FL35
- · Floor sealed with 2 coats of hardener densifier (Ashford or eaual)
- · Speed bay and construction ioints filled with semi-rigid epoxy (MM-80 or equal)

THE NORTHPOINT DEVELOPMENT ADVANTAGE

Established in 2012, NorthPoint Development has grown to a family of ten companies with an emphasis on a factory-to-front door model. Our firm differentiates itself through a strong engineering and technical focus. We employ numerous civil, geotech, electrical, and industrial engineers, as well as logistics, labor, and incentives professionals. "Beyond the Contract" embodies the concept that no contract can be written to reflect everything that will occur in a complex real estate transaction. Their approach in all business relationships is to be fair and to operate by the "Golden Rule."



Let's Connect

Alec Rhodes, sior +1 303 312 4282 alec.rhodes@cushwake.com Aaron Valdez, SIOR +1 303 819 7333 aaron.valdez@cushwake.com Tyler Smith, ccim, sior +1 303 312 4296 t.smith@cushwake.com

1401 Lawrence Street, Suite 1100 | Denver, Colorado 80202 PHONE +1 303 292 3700 | cushmanwakefield.com

staffordlogisticscenter.com





©2023 Cushman & Wakefield. All rights reserved. The information contained in this communication is strictly confidential. This information has been obtained from sources believed to be reliable but has not been verified. NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED. IS MADE AS TO THE CONDITION OF THE PROPERTY (OR PROPERTY) (OR PROP