266 ROUTE 125 KINGSTON, NH 03848 **176,081 SF**/27+ ACRES

HIGH-BAY WAREHOUSE FOR LEASE/SALE

Hard to find 27'-32' Clear High-Bay Warehouse Space!

FOR MORE INFORMATION, PLEASE CONTACT:

THOMAS P. FARRELLY, SIOR Executive Managing Director +1 603 661 4854 thomas.farrelly@cushwake.com

DENIS C.J. DANCOES II Executive Director +1 603 661 3854 denis.dancoes@cushwake.com SUE ANN JOHNSON Managing Director +1 603 490 6900 sueann.johnson@cushwake.com

BLAKE BALDWIN Executive Managing Director +1 858 692 5544 blake.baldwin@cushwake.com

©2023 cushman & Wakefield. All rights reserved. The information contained in this communication is strictly confidential. This information has been obtained from sources believed to be reliable but has not been verified. NO WAREANTY OR REPRESENTION, EXPRESS OR IMPLIED, IS MADE AS TO THE CONDITION OF THE ROPRENTY OR PROPERSHIES) REFERENCED HEREIN OR AS TO THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN, AND SAME IS SUBBITTED SUBJECT TO ERRORS, OMISSIONS, CHANGE OF PRICE, RENTAL OR OTHER CONDITIONS, WITHDRAWAL WITHOUT NOTICE, AND TO ANY SPECIAL USTING CONDITIONS IMPOSED BY THE PROPERTY OWNER(S). ANY PROJECTIONS, OPINIONS OR SETINATES ARE SUBJECT TO UNCERTAINTY AND DO NOT SIGNIFY CURRENT OR FUTURE PROPERTY PERFORMANCE. CUSHMAN & WAKEFIELD OF NEW HAMPSHIRE, INC. 900 Elm Street, Suite 1301 Manchester, NH 03101 +1 603 628 2800





BUILDING AND SITE SPECIFICATIONS

| Building Area | 176,081 SF including 150,466 SF high-bay warehouse and 25,615 SF office. | | | |
|------------------------------------|---|--|--|--|
| Land Area | 27.43 acres. | | | |
| Zoning | C-II. | | | |
| Year Built | 1981 with additional loading constructed in 1991. | | | |
| Clear Height | 32' in the center, 27' at the eaves. | | | |
| Column Spacing | Warehouse 40' x 40', 80' x 280'. | | | |
| Loading | Nineteen (19) tailboard dock positions including thirteen (13) dock positions with 9' X 10' overhead doors, levelers and soft sided shelters with 30" projections and six (6) enclosed dock positions with 8' X 9' overhead doors with levelers accessible via 12' X 16' overhead doors with electric operators. Two (2) drive-in doors including one (1) 18'8" X 18' OH door and one (1) 14'8" X 16' OH door with electric operators. | | | |
| Roof | Warehouse - mechanically fastened Carlisle .060 EPDM membrane installed 2020 and 2021. Office - 4,745 SF Johns Manville .60 TPO installed 2018 and 20,870 SF EPDM with stone ballast. | | | |
| HVAC | Office - Two (2) 1,500,000 BTU propane fired HB Smith boilers supplying perimeter forced hot water radiators and nine (9) rooftop and pad mounted HVAC units with reheat coils for supplemental office heat and delivering 100 tons of AC. Warehouse - Fourteen (14) Propane fired 205,000 BTU infrared heating units and seven (7) Greenheck roof mounted exhaust fans. | | | |
| Electricity | 1600 amps, 480/277 volt, 3 phase. | | | |
| Emergency Power | 400 KW Caterpillar back up generator with automatic transfer switch. | | | |
| | • Private well with 7.5 hp pump supplying 60 GPM of domestic water. | | | |
| Utilities | Septic system one (1) 3,500 gallon and one (1) 2,500 gallon tank, sewage ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer installed 2015. | | | |
| Utilities Life Safety | ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer | | | |
| | ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer installed 2015. 1,000 GPM Diesel powered fire pump drawing water from the Little River supplies wet sprinkler coverage throughout 170,000 SF of warehouse and office space. | | | |
| Life Safety | ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer installed 2015. 1,000 GPM Diesel powered fire pump drawing water from the Little River supplies wet sprinkler coverage throughout 170,000 SF of warehouse and office space. 6,000 SF of dry sprinkler coverage in the enclosed truck well. Warehouse - LED and T-5 fluorescent with occupancy sensors. | | | |
| Life Safety Lighting | ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer installed 2015. 1,000 GPM Diesel powered fire pump drawing water from the Little River supplies wet sprinkler coverage throughout 170,000 SF of warehouse and office space. 6,000 SF of dry sprinkler coverage in the enclosed truck well. Warehouse - LED and T-5 fluorescent with occupancy sensors. Office - T-8 and T-12 Fluorescent. Fifteen (15) visitor and executive parking spaces at office lobby entrance. Ninety-three (93) general office and warehouse (parking spaces expandable). | | | |
| Life Safety Lighting Parking | ejection pump, one (1) 1,000 gallon dosing chamber and two (2) 4,400 SF leach fields providing capacity of 5,250 GPD. Seven (7) 1,000 gallon underground liquid propane tanks with vaporizer installed 2015. 1,000 GPM Diesel powered fire pump drawing water from the Little River supplies wet sprinkler coverage throughout 170,000 SF of warehouse and office space. 6,000 SF of dry sprinkler coverage in the enclosed truck well. Warehouse - LED and T-5 fluorescent with occupancy sensors. Office - T-8 and T-12 Fluorescent. Fifteen (15) visitor and executive parking spaces at office lobby entrance. Ninety-three (93) general office and warehouse (parking spaces expandable). Nine (9) trailer slips (expandable). | | | |









| CITIES | MILES | DRIVE TIME* |
|---|-------|--------------|
| Pease Tradeport | 24 | 35 min |
| Manchester, NH - (Manchester - Boston Airport) | 31 | 30 min |
| Portland, ME (Portland International Jetport) | 75 | 1 hr. 5 min |
| Boston, MA (Logan Airport) | 50 | 55 min |
| Worcester, MA (Regional Airport) | 75 | 1 hr. 15 min |
| Providence, RI (TF Green Airport) | 107 | 1 hr. 40 min |
| Hartford, CT (Bradley Airport) | 141 | 2 hr. 10 min |

| PORTS | MILES | DRIVE TIME* |
|----------------|-------|--------------|
| Portland, ME | 77 | 1 hr. 10 min |
| Boston, MA | 50 | 1 hr. |
| Providence, RI | 101 | 1 hr. 40 min |
| New London, CT | 144 | 2 hr. 10 min |

Per Google Maps - Departure Time @6:00 am









