



24425 W. M-60 Homer, MI


MANUFACTURING FACILITY
167,042 SF AVAILABLE

Property Information

24425 W. M-60
HOMER, MICHIGAN


Total RBA	167,042 SF
Industrial Area	156,617 SF
Office Area	10,425 SF (includes quality lab)
Mezzanine	Training room & file storage, another small storage mezzanine in original plant section
Total Site Acres	15.78 Acres
Year Built/ Renovated	1965, 1995, 1997, 1999 (multiple sections) 2000, 2002, 2003 (auxiliary front) 2004, 2005, 2010 (auxiliary rear)
Construction	Main Bldg: steel frame with insulated steel panel sidewalls Auxiliary bldg: wood frame
Roof	Main building: standing seam metal Auxiliary/warehouse: asphalt shingle
Ceiling Height	2010 addition: 19'-24' Remaining sections 15'-16' on center to 10'-12' at the eaves Warehouse 11' Auxiliary bldg: 16"
Bay Size/ Column Spacing	2010 addition: one row of columns 24' Remaining bays: clear span with columns for each section, dimensions vary
Grade Level Doors	Main building: Twelve (12) total (4)- 12'x14' (4)- 12'x10' (2)- 9'x10' (1)- 18'x10' (1)- 10'x12' Auxiliary building: Two (2) total (2)- 12'x14' (1)- (10'x10')
Docks & Equipment	Three (3) docks with bumpers, seals, and levelers Two (2) are in main bldg & 1 (one) in ancillary bldg
HVAC/ Air Conditioning	Warehouse: heat only (prior A/C units nonfunctional, duct work in place for cooling) Auxiliary: completely cooled Unit heaters & exhaust fans throughout plant
Air Lines	Yes: 1 GD compressor, 1 GD dryer, 2 GD backup compressors of 150 & 100HP
Lighting	Metal halide, fluorescent (upgrades made around 2018)
Power	6000amps/480v/3p (two seperate feeds of 4,000amp & 2,000 amp)
Restrooms	Eight (8) total (2- office, 5-plant, 1-auxiliary)

Auto/ Trailer Parking	95 surface spots/ no designated trailer parking
Floor/ Floor Drains	Original plant: 8" in some areas / 2010 addition: 6" Main building: No / Auxiliary building: Yes
# of Buildings	Two (2)
Electric/ Gas	Consumers Energy
Water/ Sewer	Village of Homer
Cranes	None
Security	Yes
Outside Storage	No
Site Fencing	No
Rail Served	No
Zoning	HI: heavy industrial
Parcel ID	43-006-028-00
Fire Protection	Fire alarm only No sprinklers
Break Room	Yes
Room for Expansion	Yes
RE Taxes	\$62,791 (\$0.38/SF)
CAM	\$0.30/SF (estimated)
Insurance	\$0.20/SF (estimated)
Total	\$0.88/SF (estimated)
Lease Rate	\$4.25/SF NNN
Asking Price	\$4,750,000 (\$28.44/SF)
Miscellaneous Items	<ul style="list-style-type: none"> • Tool crib • Manufacturing facility with exposure on M-60 • Unisex locker room with private changing rooms • Windows throughout plant area for natural lighting • Room to expand



Property Aerial

24425 W. M-60
HOMER, MICHIGAN








Location Map

- Lansing, MI
- Jackson, MI
- Grand Rapids, MI
- Ann Arbor, MI
- Detroit, MI
- Battle Creek, MI
- Kalamazoo, MI
- Toledo, OH
- Ohio Border
- Indiana Border

24425 W. M-60
HOMER, MICHIGAN







ALTA/ACSM LAND TITLE SURVEY

ZONING REGULATIONS

IR - HEAVY INDUSTRIAL DISTRICT
 MINIMUM ZONING LOT SIZE PER UNIT - 5 ACRES
 MAXIMUM HEIGHT OF STRUCTURES -
 IN FEET - 50 FEET
 MINIMUM YARD SETBACK (PER LOT IN FEET) -
 FRONT - 85 FEET
 SIDE - 50 FEET
 REAR - 50 FEET
 MINIMUM FLOOR AREA PER UNIT -
 AREA IN SQUARE FEET - N/A
 MAXIMUM PERCENT OF ZONING LOT COVERED BY ALL BUILDINGS - N/A

NOTE:
 ALL ZONING INFORMATION IS TAKEN FROM THE VILLAGE OF HOMER WEBSITE. ALL ZONING INFORMATION MUST BE VIEWED FOR COMPLETENESS WITH CURRENT ZONING REGULATIONS.

PARKING

HANDICAP PARKING = 2 STALLS
 STANDARD PARKING = 112 STALLS

PARCEL AREA

PARCEL 1 = 424,051.1 SQUARE FEET = 9.6844 ACRES
 PARCEL 2 = 17,775.2 SQUARE FEET = 0.4066 ACRES
 PARCEL 3 = 716,894.5 SQUARE FEET = 16.3184 ACRES

BASIS OF BEARING

SOUTH 89°27'30" EAST BEARS THE NORTH-SOUTH 1/4 LINE OF SECTION 6.

POINT OF COMMENCEMENT:
 CENTER OF SECTION 6,
 TOWN 4 SOUTH, RANGE 14
 WEST, FOUND FROM IRON IN
 MONUMENT BOX

PROPERTY DESCRIPTION

LAND SITUATED IN THE VILLAGE OF HOMER, COUNTY OF CALHOUN, STATE OF MICHIGAN IS DESCRIBED AS FOLLOWS:
 PARCEL 1, PER TITLE COMMITMENT COMMENCING AT THE CENTER OF SECTION 6, TOWN 4 SOUTH, RANGE 14 WEST, VILLAGE OF HOMER, CALHOUN COUNTY, MICHIGAN, THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG THE NORTH AND SOUTH 1/4 LINE OF SAID SECTION 6, A DISTANCE OF 108.00 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33 FEET TO THE WEST LINE OF 24 1/2 MILE ROAD AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THE BOUNDARY RUNS THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG SAID WEST LINE OF 24 1/2 MILE ROAD, 656.36 FEET TO THE NORTH LINE OF HIGHWAY M-60; THENCE ALONG SAID NORTH LINE OF HIGHWAY M-60 AND ALONG THE ARC OF A CURVE TO THE LEFT WHOSE RADIUS IS 5788.85 FEET AND WHOSE CHORD BEARS SOUTH 89 DEGREES 17' 16" WEST 656.36 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33.00 FEET TO A POINT SOUTH 89 DEGREES 22' 30" WEST 318.00 FEET FROM THE TRUE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 22' 30" EAST 660.87 FEET TO THE TRUE POINT OF BEGINNING.

PARCEL 2, PER TITLE COMMITMENT COMMENCING AT THE CENTER OF SECTION 6, TOWN 4 SOUTH, RANGE 14 WEST, VILLAGE OF HOMER, CALHOUN COUNTY, MICHIGAN, THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG THE NORTH AND SOUTH 1/4 LINE OF SAID SECTION 6, A DISTANCE OF 108.00 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33 FEET TO THE WEST LINE OF 24 1/2 MILE ROAD AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THE BOUNDARY RUNS THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG SAID WEST LINE OF 24 1/2 MILE ROAD, 656.36 FEET TO THE NORTH LINE OF HIGHWAY M-60; THENCE ALONG SAID NORTH LINE OF HIGHWAY M-60 AND ALONG THE ARC OF A CURVE TO THE LEFT WHOSE RADIUS IS 5788.85 FEET AND WHOSE CHORD BEARS SOUTH 89 DEGREES 17' 16" WEST 656.36 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33.00 FEET TO A POINT SOUTH 89 DEGREES 22' 30" WEST 318.00 FEET FROM THE TRUE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 22' 30" EAST 660.87 FEET TO THE TRUE POINT OF BEGINNING.

PARCEL 3, (AS SURVEYED) COMMENCING AT THE CENTER OF SECTION 6, TOWN 4 SOUTH, RANGE 14 WEST, VILLAGE OF HOMER, CALHOUN COUNTY, MICHIGAN, THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG THE NORTH AND SOUTH 1/4 LINE OF SAID SECTION 6, A DISTANCE OF 108.00 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33 FEET TO THE WEST LINE OF 24 1/2 MILE ROAD AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THE BOUNDARY RUNS THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG SAID WEST LINE OF 24 1/2 MILE ROAD, 656.36 FEET TO THE NORTH LINE OF HIGHWAY M-60; THENCE ALONG SAID NORTH LINE OF HIGHWAY M-60 AND ALONG THE ARC OF A CURVE TO THE LEFT WHOSE RADIUS IS 5788.85 FEET AND WHOSE CHORD BEARS SOUTH 89 DEGREES 17' 16" WEST 656.36 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33.00 FEET TO A POINT SOUTH 89 DEGREES 22' 30" WEST 318.00 FEET FROM THE TRUE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 22' 30" EAST 660.87 FEET TO THE TRUE POINT OF BEGINNING.

COMBINED LOCAL DESCRIPTION, (AS SURVEYED) COMMENCING AT THE CENTER OF SECTION 6, TOWN 4 SOUTH, RANGE 14 WEST, VILLAGE OF HOMER, CALHOUN COUNTY, MICHIGAN, THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG THE NORTH AND SOUTH 1/4 LINE OF SAID SECTION 6, A DISTANCE OF 108.00 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33 FEET TO THE WEST LINE OF 24 1/2 MILE ROAD AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THE BOUNDARY RUNS THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG SAID WEST LINE OF 24 1/2 MILE ROAD, 656.36 FEET TO THE NORTH LINE OF HIGHWAY M-60; THENCE ALONG SAID NORTH LINE OF HIGHWAY M-60 AND ALONG THE ARC OF A CURVE TO THE LEFT WHOSE RADIUS IS 5788.85 FEET AND WHOSE CHORD BEARS SOUTH 89 DEGREES 17' 16" WEST 656.36 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33.00 FEET TO A POINT SOUTH 89 DEGREES 22' 30" WEST 318.00 FEET FROM THE TRUE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 22' 30" EAST 660.87 FEET TO THE TRUE POINT OF BEGINNING.

PROPOSED EASEMENT DESCRIPTION, (AS SURVEYED) COMMENCING AT THE CENTER OF SECTION 6, TOWN 4 SOUTH, RANGE 14 WEST, VILLAGE OF HOMER, CALHOUN COUNTY, MICHIGAN, THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG THE NORTH AND SOUTH 1/4 LINE OF SAID SECTION 6, A DISTANCE OF 108.00 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33 FEET TO THE WEST LINE OF 24 1/2 MILE ROAD AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THE BOUNDARY RUNS THENCE SOUTH 00 DEGREES 37' 30" EAST ALONG SAID WEST LINE OF 24 1/2 MILE ROAD, 656.36 FEET TO THE NORTH LINE OF HIGHWAY M-60; THENCE ALONG SAID NORTH LINE OF HIGHWAY M-60 AND ALONG THE ARC OF A CURVE TO THE LEFT WHOSE RADIUS IS 5788.85 FEET AND WHOSE CHORD BEARS SOUTH 89 DEGREES 17' 16" WEST 656.36 FEET; THENCE SOUTH 89 DEGREES 22' 30" WEST 33.00 FEET TO A POINT SOUTH 89 DEGREES 22' 30" WEST 318.00 FEET FROM THE TRUE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 22' 30" EAST 660.87 FEET TO THE TRUE POINT OF BEGINNING.

SURVEYOR'S CERTIFICATION

THIS IS TO CERTIFY THAT THIS MAP OR PLAN AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2011 MICHIGAN STANDARD TITLE REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND MSA, AND INCLUDE ITEMS 1, 2, 3, 4, 8A, 8B, 9A, 9B, 10, 11A, 11B, 12, 13, 14, 15, 16, 17, 18, AND 20A OF TABLE A, THEREOF. THE FIELD WORK WAS COMPLETED ON JULY 11, 2012.

DATE OF PLAN OR MAP: SEPTEMBER 4, 2012

ANTHONY T. SYDOK, JR., P.S.
 PROFESSIONAL SURVEYOR
 MICHIGAN LICENSE NO. 97976

REVISED: SEPTEMBER 4, 2012, PROPOSED EASEMENT DESCRIPTION

KEM-TEC & ASSOCIATES
 PROFESSIONAL SURVEYING
 2550 GRADY AVE. • EASTPOINTE, MICHIGAN 48021
 (586)779-2222 • (800)999-2222 • FAX (586)779-0088

CERTIFIED TO: RSB TRANSMISSIONS NA, INC. AND CHICAGO TITLE INSURANCE COMPANY
 DATE: AUGUST 13, 2012 JOB #: 12-01885
 SCALE: 1" = 50' SHEET: 1 OF 1
 DRW. BY: RCE REV.: AUGUST 27, 2012

TITLE REPORT NOTE

PARCEL 1:
 ONLY THOSE EXCEPTIONS CONTAINED WITHIN THE FIDELITY NATIONAL TITLE INSURANCE COMPANY COMMITMENT NO. M-14085 REVISION NO. 3, DATED JUNE 28, 2012, AND RELATED RELEASE WERE CONSIDERED FOR THIS SURVEY. NO OTHER RECORDS RESEARCH WAS PERFORMED BY THE CERTIFYING SURVEYOR.

8. EASEMENT IN FAVOR OF VILLAGE OF HOMER AS EVIDENCED BY INSTRUMENT RECORDED IN LIBER 1741, PAGE 305, CALHOUN COUNTY RECORDS. (AS SHOWN)

9. HIGHWAY EASEMENT RELEASE IN FAVOR OF STATE OF MICHIGAN AS EVIDENCED BY INSTRUMENT RECORDED IN LIBER 450, PAGE 127, AND IN LIBER 494, PAGE 507, CALHOUN COUNTY RECORDS. (AS SHOWN)

10. RIGHT OF WAY IN FAVOR OF SOUTHERN MICHIGAN LIGHT AND POWER AS EVIDENCED BY INSTRUMENT RECORDED IN LIBER 332, PAGE 647, CALHOUN COUNTY RECORDS. (AS SHOWN)

11. RELEASE OF RIGHT OF WAY IN FAVOR OF CALHOUN COUNTY ROAD COMMISSION AS EVIDENCED BY INSTRUMENT RECORDED IN LIBER 306, PAGE 640, CALHOUN COUNTY RECORDS. (AS SHOWN)

PARCEL 2:
 ONLY THOSE EXCEPTIONS CONTAINED WITHIN THE CHICAGO TITLE INSURANCE COMPANY TITLE NO. 1309925300CH, REVISION NO. 2, DATED AUGUST 1, 2012, AND RELATED RELEASE WERE CONSIDERED FOR THIS SURVEY. NO OTHER RECORDS RESEARCH WAS PERFORMED BY THE CERTIFYING SURVEYOR.

14. RIGHT OF WAY IN FAVOR OF SOUTHERN MICHIGAN LIGHT AND POWER AS EVIDENCED BY INSTRUMENT RECORDED IN LIBER 332, PAGE 647, CALHOUN COUNTY RECORDS. (AS SHOWN)

SURVEYOR'S NOTES

1. THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM FIELD SURVEY INFORMATION AND EXISTING RECORDS. THE SURVEYOR MAKES NO GUARANTEES THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA. EITHER IN RECORD OR UNRECORDED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED AS LONG AS HE DOES CERTIFY THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR DOES NOT INTENTIONALLY LOCATE THE UNDERGROUND UTILITIES OTHER THAN AS INDICATED.


2. THERE IS NO OBSERVED EVIDENCE OF CURRENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING FOUNDATIONS.

3. THE SURVEYOR IS UNWARRANTEDLY PROPOSED CHANGES IN STREET RIGHT OF WAY LINES. THERE IS NO OBSERVED EVIDENCE OF RECORD STREET OR RECORD CONSTRUCTION.

4. THERE IS NO OBSERVED EVIDENCE OF SITE USE AS A SOLID WASTE DUMP, DUMP OR SANITARY LANDFILL.

LEGEND


- SET 1/2" REBAR WITH CAP P.S. 47976
- FOUND MONUMENT (AS NOTED)
- FOUND SECTION CORNER (AS NOTED)
- (IRAM) RECORD AND MEASURED DIMENSION
- (R) RECORD DIMENSION
- (M) MEASURED DIMENSION
- ELECTRIC METER
- ELECTRIC PANEL
- ELECTRIC RISER
- TRANSFORMER
- GAS LINE MARKER
- GAS METER
- TELEPHONE RISER
- CABLE TV BOX
- CLEANOUT
- SANITARY MANHOLE
- ROUND CATCH BASIN
- STORM DRAIN MANHOLE
- FIRE HYDRANT
- WATER GATE MANHOLE
- WATER VALVE
- UNIFORM MANHOLE
- AIR CONDITIONING UNIT
- BOLLARD
- FLAREHOLE
- LIGHTPOST/LAMP POST
- SINGLE POST SIGN
- DOUBLE POST SIGN
- HANDICAP PARKING
- PARCEL BOUNDARY LINE
- ADJACENT PARCEL LINE
- SECTION LINE
- EASEMENT (AS NOTED)
- BUILDING
- CENTERLINE ROAD
- CONCRETE CURB
- PARKING
- EDGE OF CONCRETE (CONC.)
- EDGE OF ASPHALT (ASPH.)
- WALL (AS NOTED)
- OVERHEAD UTILITY LINE
- GAS LINE
- SANITARY LINE
- DRAIN LINE
- STORM LINE
- WATER LINE
- CORRUGATED METAL PIPE (AS NOTED)



Site Survey


* Survey does not show 2010 expansion

24425 W. M-60
 HOMER, MICHIGAN



Site Plan

24425 W. M-60
HOMER, MICHIGAN



Floor Plan

24425 W. M-60
HOMER, MICHIGAN

CALHOUN COUNTY



POPULATION

134,310



LABOR FORCE

62,729



UNEMPLOYMENT RATE

5.50%



MEDIAN HOUSEHOLD INCOME

\$59,522



MEDIAN HOME VALUE

\$174,999



TOTAL BUSINESSES

2,414

HOMER VILLAGE

Homer Village contains a long history dating back to the first settlers in 1832. Homer Village prides itself on innovation of agriculture, education, business and industry throughout the community. Located in southern central Michigan, approximately 33 miles from the border of Ohio and 30 miles from the border of Indiana with a population of 1,575 and employment rate of 57.6%. The starting wage for manufacturing in Homer Village is \$18.31/hour and average wage for manufacturing is \$21.15/hour.



Location Demographics

LOCAL UNIVERSITIES

Albion College	8 Miles
Spring Arbor University	14 Miles
Hillsdale College	17 Miles
Jackson Community College	21 Miles
Olivet College	21 Miles
Trine University	37 Miles
Adrian College	42 Miles
Western Michigan University	43 Miles
Michigan State University	45 Miles
University of Michigan	55 Miles

24425 W. M-60
HOMER, MICHIGAN

24425 W. M-60

Homer, MI

MANUFACTURING FACILITY

167,042 SF AVAILABLE

Craig Herschel, SIOR

Director

craig.herschel@cushwake.com

+1 419 944 5182

Kyle Passage

Senior Associate

kyle.passage@cushwake.com

+1 248 358 6113

27777 Franklin Rd, Suite 1050

Southfield, MI 48034

+1 248 358 6100

www.cushwake.com



©2024 Cushman & Wakefield. All rights reserved. The information contained in this communication is strictly confidential. This information has been obtained from sources believed to be reliable but has not been verified. NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, IS MADE AS TO THE CONDITION OF THE PROPERTY (OR PROPERTIES) REFERENCED HEREIN OR AS TO THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN, AND SAME IS SUBMITTED SUBJECT TO ERRORS, OMISSIONS, CHANGE OF PRICE, RENTAL OR OTHER CONDITIONS, WITHDRAWAL WITHOUT NOTICE, AND TO ANY SPECIAL LISTING CONDITIONS IMPOSED BY THE PROPERTY OWNER(S). ANY PROJECTIONS, OPINIONS OR ESTIMATES ARE SUBJECT TO UNCERTAINTY AND DO NOT SIGNIFY CURRENT OR FUTURE PROPERTY PERFORMANCE.